

CHATFIELD WATER SYSTEMS







Congratulations on your purchase of the Chatfield FerronX Water Conditioner! We're absolutely thrilled to welcome you to the Chatfield family and know you're going to love the difference it makes in your home.

Get ready to say goodbye to the frustrations of iron and manganese once and for all. No more unsightly stains on your fixtures, no more clogged pipes, and no more unpleasant metallic taste or odors in your water. The FerronX is expertly designed to tackle these troublesome minerals, leaving you with cleaner, clearer, and healthier water for your entire household.


You've made a smart investment in your home and your family's well-being. With the FerronX, you can enjoy the peace of mind that comes with knowing your water is free from the damaging effects of iron and manganese.

We're here to support you every step of the way, from installation to maintenance and beyond.





Screen Information & Selection





The most important thing you can do as the owner of a Water Conditioner is to ensure that time is always correct. This is important because your installation team has programmed the unit to regenerate at a certain time, generally at 2 AM. The unit can be programmed to regenerate at any time.

How to SET the Time




Place your finger over the time of day.
Press and Hold for 5 Seconds until
the screen changes.




Adjust the HOUR by pressing the up or down arrows.

The HOURS need to adjusted to account for AM or PM



Once the HOUR has been selected press the enter arrow to set.



Adjust the MINUTES by pressing the up or down arrows.



Once the MINUTES have been selected press the enter arrow to set.



You have now programmed the time.

The unit DOES NOT account for daylight savings. Make sure to adjust the time when it is necessary.

Please note: during extended power outages your unit may "lose" time - similar to other appliances in your home.

There is a back up coin cell battery that will sustain the correct time for up to 8 hours. This battery will need to be replaced after frequent power outages or yearly.




Battery Required: CR 2032

BATTERY REPLACEMENT



Gently lift tabs on the sides and pull plastic face plate toward you.





Push up to remove battery

Insert a new CR-2032 Battery and gently press down to seat the battery in





Battery Required: CR 2032



Knowing where the bypass is and how to use it is an important part of ownership. If, for any reason, your treatment system has an issue you may be told by customer support to place the unit into bypass. Follow the instructions below.

This orientation of the RED handles indicates that the system is treating the water





Turning the handles, following the arrows, to place the unit into bypass



When the red handles are pointed at each other you have successfully bypassed the unit. The water is no longer being treated.