# Warranty Guide Book



### Warranty Guide Book

#### **TABLE OF CONTENTS**

1.	Commercial Standard Warranty	1
2.	Limited Consumer Warranty	2
3.	Complete List of Warranty Lengths by Products	3
4.	Return Procedure	4
	a. Online Entry ecom.xyleminc.com	4
	b. SIF - Scrap In Field	4
	c. RSC/RSN - Return to Stock	4
	d. ALY Products - Analysis / Service Center / Return Exceptions	4
	e. Damaged In Transit	5
	f. Freight Charge responsibility	5
5.	Understanding Date Codes	6
6.	Forms	
	a. Analysis Clearance	10
	b. CPC/IPC	11
	c. 6" Bundle Form	12
	c. Centrifugal Bundle Form	13
	c. Turbine Bundle Form	14
	d. Tank Form	15
7.	Instruction for Claim Entry on Ecom	16

#### Warranty Guide Book

#### **COMMERCIAL STANDARD WARRANTY**

For goods sold to commercial buyers, Seller warrants the goods sold to Buyer hereunder (with the exception of membranes, seals, gaskets, elastomer materials, coatings and other "wear parts" or consumables all of which are not warranted except as otherwise provided in the quotation or sales form) will be (i) be built in accordance with the specifications referred to in the quotation or sales form, if such specifications are expressly made a part of this Agreement, and (ii) free from defects in material and workmanship for a period of one (1) year from the date of installation or twelve (12) months from the date of shipment (which date of shipment shall not be greater than eighteen (18) months after receipt of notice that the goods are ready to ship), whichever shall occur first, unless a longer period is specified in the product documentation (the "Warranty").

Except as otherwise required by law, Seller shall, at its option and at no cost to Buyer, either repair or replace any product which fails to conform with the Warranty provided Buyer gives written notice to Seller of any defects in material or workmanship within ten (10) days of the date when any defects or non-conformance are first manifest. Under either repair or replacement option, Seller shall not be obligated to remove or pay for the removal of the defective product or install or pay for the installation of the replaced or repaired product and Buyer shall be responsible for all other costs, including, but not limited to, service costs, shipping fees and expenses. Seller shall have sole discretion as to the method or means of repair or replacement. Buyer's failure to comply with Seller's repair or replacement directions shall terminate Seller's obligations under this Warranty and render the Warranty void. Any parts repaired or replaced under the Warranty are warranted only for the balance of the warranty period on the parts that were repaired or replaced. Seller shall have no warranty obligations to Buyer with respect to any product or parts of a product that have been: (a) repaired by third parties other than Seller or without Seller's written approval; (b) subject to misuse, misapplication, neglect, alteration, accident, or physical damage; (c) used in a manner contrary to Seller's instructions for installation, operation and maintenance; (d) damaged from ordinary wear and tear, corrosion, or chemical attack; (e) damaged due to abnormal conditions, vibration, failure to properly prime, or operation without flow; (f) damaged due to a defective power supply or improper electrical protection; or (g) damaged resulting from the use of accessory equipment not sold or approved by Seller. In any case of products not manufactured by Seller, there is no warranty from Seller; however, Seller will extend to Buyer any warranty received from Seller's supplier of such products.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, GUARANTEES, CONDITIONS OR TERMS OF WHATEVER NATURE RELATING TO THE GOODS PROVIDED HEREUNDER, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED AND EXCLUDED. EXCEPT AS OTHERWISE REQUIRED BY LAW, BUYER'S EXCLUSIVE REMEDY AND SELLER'S AGGREGATE LIABILITY FOR BREACH OF ANY OF THE FOREGOING WARRANTIES ARE LIMITED TO REPAIRING OR REPLACING THE PRODUCT AND SHALL IN ALL CASES BE LIMITED TO THE AMOUNT PAID BY THE BUYER FOR THE DEFECTIVE PRODUCT. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY OTHER FORM OF DAMAGES, WHETHER DIRECT, INDIRECT, LIQUIDATED, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY OR SPECIAL DAMAGES, INCLUDING BUT NOT LIMITED TO LOSS OF PROFIT, LOSS OF ANTICIPATED SAVINGS OR REVENUE, LOSS OF INCOME, LOSS OF BUSINESS, LOSS OF PRODUCTION, LOSS OF OPPORTUNITY OR LOSS OF REPUTATION.

#### Warranty Guide Book

#### LIMITED CONSUMER WARRANTY

For goods sold for personal, family or household purposes, Seller warrants the goods purchased hereunder (with the exception of membranes, seals, gaskets, elastomer materials, coatings and other "wear parts" or consumables all of which are not warranted except as otherwise provided in the quotation or sales form) will be free from defects in material and workmanship for a period of one (1) year from the date of installation or eighteen (18) months from the product date code, whichever shall occur first, unless a longer period is provided by law or is specified in the product documentation (the "Warranty").

Except as otherwise required by law, Seller shall, at its option and at no cost to Buyer, either repair or replace any product which fails to conform with the Warranty provided Buyer gives written notice to Seller of any defects in material or workmanship within ten (10) days of the date when any defects or non-conformance are first manifest. Under either repair or replacement option, Seller shall not be obligated to remove or pay for the removal of the defective product or install or pay for the installation of the replaced or repaired product and Buyer shall be responsible for all other costs, including, but not limited to, service costs, shipping fees and expenses. Seller shall have sole discretion as to the method or means of repair or replacement. Buyer's failure to comply with Seller's repair or replacement directions shall terminate Seller's obligations under this Warranty and render this Warranty void. Any parts repaired or replaced under the Warranty are warranted only for the balance of the warranty period on the parts that were repaired or replaced. The Warranty is conditioned on Buyer giving written notice to Seller of any defects in material or workmanship of warranted goods within ten (10) days of the date when any defects are first manifest.

Seller shall have no warranty obligations to Buyer with respect to any product or parts of a product that have been: (a) repaired by third parties other than Seller or without Seller's written approval; (b) subject to misuse, misapplication, neglect, alteration, accident, or physical damage; (c) used in a manner contrary to Seller's instructions for installation, operation and maintenance; (d) damaged from ordinary wear and tear, corrosion, or chemical attack; (e) damaged due to abnormal conditions, vibration, failure to properly prime, or operation without flow; (f) damaged due to a defective power supply or improper electrical protection; or (g) damaged resulting from the use of accessory equipment not sold or approved by Seller. In any case of products not manufactured by Seller, there is no warranty from Seller; however, Seller will extend to Buyer any warranty received from Seller's supplier of such products.

Goulds Water Technology Policy Concerning Online Sales to Consumers. Homeowners using the Internet to locate information regarding residential water systems, residential wastewater systems, controls and tanks may discover several sites offering a direct-to-consumer purchasing opportunity. Residential water and wastewater systems are mission critical applications and are designed to be installed by qualified professionals. Goulds Water Technology has an extensive nationwide network of distributors and dealers, including authorized resellers. To find Goulds Water Technology recognized distributors, dealers and authorized resellers, please complete the form located at: http://unitedstates.xylemappliedwater.com/brands/red-jacket-water-products/sales-service/

No warranty is offered on Goulds Water Technology equipment purchased over the Internet, including web-based options from unauthorized retailers. This policy is necessary to ensure that Goulds Water Technology equipment is installed properly, in compliance with applicable laws, rules and codes, in a manner that addresses safety concerns and the proper performance of Goulds Water Technology equipment.

THE FOREGOING WARRANTY IS PROVIDED IN PLACE OF ALL OTHER EXPRESS WARRANTIES. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO ONE (1) YEAR FROM THE DATE OF INSTALLATION OR EIGHTEEN (18) MONTHS FROM THE PRODUCT DATE CODE, WHICHEVER SHALL OCCUR FIRST. EXCEPT AS OTHERWISE REQUIRED BY LAW, BUYER'S EXCLUSIVE REMEDY AND SELLER'S AGGREGATE LIABILITY FOR BREACH OF ANY OF THE FOREGOING WARRANTIES ARE LIMITED TO REPAIRING OR REPLACING THE PRODUCT AND SHALL IN ALL CASES BE LIMITED TO THE AMOUNT PAID BY THE BUYER FOR THE DEFECTIVE PRODUCT. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY OTHER FORM OF DAMAGES, WHETHER DIRECT, INDIRECT, LIQUIDATED, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY OR SPECIAL DAMAGES, INCLUDING BUT NOT LIMITED TO LOSS OF PROFIT, LOSS OF ANTICIPATED SAVINGS OR REVENUE, LOSS OF INCOME, LOSS OF BUSINESS, LOSS OF PRODUCTION, LOSS OF OPPORTUNITY OR LOSS OF REPUTATION.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

To make a warranty claim, check first with the dealer from whom you purchased the product or visit www.xyleminc.com for the name and location of the nearest dealer providing warranty service.

#### **COMPLETE LISTING OF WARRANTY PERIODS**

Product Family	Product	Standard Warranty (Install/DateCode)	Extended Warranty/ GPDA Warranty
	Aquavar IPC	3 years / 42 months	
	SPD, SPD Plus, CPC	2 years / 30 months	3 year Bundle
	Hydrovar	1 year / 18 months	
Drives and	Aquastart	2 years / 30 months	3 year Bundle
Controls	Aquavar ABII	2 years / 30 months	
	Aquavar e-ABII packages	3 years / 42 months	
	SOLO	2 years / 30 months	3 years / 42 months
	Transducers	1 year / 18 months	
Bundle	Pump, Motor, Control*	3 years	
Centrifugal Motors	All Motors except Baldor PE	1 year	
Centinugar Wotors	Premium Efficiency Baldor Motors	3 years from installation	
Tanks	Tanks	5 years / 66 months	
	4" CentriPro Powered Submersibles (1/2 - 7.5 HP)	3 years / 42 months	5 years / 66 months
	4" Submersible Water Ends	3 years / 42 months	5 years / 66 months
	4" GS CBM Pumps (Xtreme)	1 year / 18 months	
4" Subs/Motors	4" CentriPro Standard Construction Motors (1/2 - 7.5 HP)	3 years / 42 months	5 years / 66 months
	4", M100434, 10 HP, 3/3500/60/460V Motors	1 year / 18 months	
	4" CentriPro Xtreme Duty Motors (2 - 7 1/2 HP)	30 days from installation	
/ II C . I . /	6" Water Ends (L, H, J) Submersible Turbines	1 year / 18 months	
6" Subs/ Motors/Bundles	6"- 10" CentriPro Motors	1 year / 18 months	
Submersible Turbine	6" Pump/Motor Bundle*	1 year / 18 months	2 years / 30 months
rarome	6" Pump/Motor/Drive Bundle*	1 year / 18 months	3 years / 42 months
Turbine	<b>Motors:</b> Centripro 6"-8" submersible motors, or VHS or VSS inverter duty motor up to 450 HP	1 year / 18 months	
3-Year Extended	<b>Pump:</b> Submersible Turbine Pumps and Lineshaft Turbine Pumps up to 450 HP	1 year / 18 months	3 years / 42 months
Warranty	Controls: Aquavar SPD, Aquavar CPC, Aquavar IPC or AquaStart up to 450 HP	2 years / 30 months	
CentriPro Controls	CentriPro Control Boxes	3 years / 42 months	5 years / 66 months
	CentriPro Pumpsaver	60 month from installation	
Accessories	All Other CentriPro Jet & Submersible Accessories	1 year / 18 months	
Jets	Jet Pumps	1 year / 18 months	3 years / 42 months
	4NS/4XD (Pro-rated)	5 years	
Sump,Effluent, Sewage	Standard Sump, Effluent and Sewage Products including Commercial WW not listed	1 year / 18 months	2 years / 30 months
	GSP	2 years / 30 months	
	Premium Sewage Product - 3885, 3886, 3887	1 year / 18 months	3 years / 42 months
All Commercial Centrifugals	All products in the G&L, Marlow, AC product lines and all Cast Iron product	1 year / 18 months	

 $<sup>{\</sup>color{blue}^{\star}} \ \text{For VHS/VSS motors, only GE or Nidec brand shall qualify. Individual motor warranties may differ from GWT standard warranty.}$ 

#### Warranty Guide Book

#### **RETURN PROCEDURE**

Claims may be entered online, ecom.xyleminc.com, or by calling our Customer Service line at 866-325-4210. You will need an ecom account to begin online. See appendix with step by step tutorial. Many of our products can be handled through a Scrap in Field procedure but others must be handled with a return claim or analysis. Some products will not be allowed for return of any kind (see exceptions below).

Returned product must be received within 90 days of submittal of the claim or the claim will be closed without action.

#### **Online Return System**

RMA's may also be issued through the Ecom site (ecom.xyleminc.com). RMA's can be issued for Analysis, Scrap in Field, and Return Material. Scrap in Field will need to have further evaluation as mentioned below in section: Scrapped in Field. Complete Serial numbers must be provided for consideration on any return. Claims must be submitted within 3 months from date of failure. See Return Exceptions/Special Handling for product that can not be returned.

When material is returned to the factory, the Claims Dept. will inspect the product and if found to be defective, will handle the disposition of the claimed material by issuing a credit memo.

#### **Scrap in Field**

Same as above, except that the product may not have to be returned to the factory. Warranty Claims may request some material be returned for quality analysis. Claims will have 30 days to determine the product scrapped or returned. If product is determined to be scrapped the credit will be processed. If product is requested to be returned handle return as mentioned above. Products that qualify for Scrap in Field are Jets, Subs and Wastewater 2 HP.

#### **Return Material**

Products only manufactured by Goulds Water Technology, Xylem Inc. may be returned if prior written consent of said company is obtained from Warranty Claims Department. Product must have been purchased within the last six months. Only stocked product in original carton, uninstalled and of current design and material (inventoried by Goulds Water Technology, Xylem Inc., no special builds will be considered for return) will be accepted. The buyer will be responsible for the transportation costs and a minimum 25% restocking charge. All returns must be received in a condition without damage to the product or packaging. Goulds Water Technology, Xylem Inc. reserves the right to deny return of any product. When entering online claim, use RMO code.

#### **Analysis**

The following products must be returned for analysis and will not be considered for Scrap in Field. ALY code should be used when entering the claim. Allow 2 weeks once product is returned for a report on findings.

#### **Return Exceptions/Special Handling**

#### **Non-Stock or Built-to-Order**

Any products that are not stock or are built for a specific order will not be approved for return or reimbursement.

#### **AO Smith Tanks**

AO SMITH tanks have special procedure. For any tank claim contact the Territory Manager in your area. AO SMITH tank form MUST be signed by the TM. Tank serial number stickers are included on this form for verification of date code and part number. Tanks are scrapped in field once approval is given by TM. In special cases of early failure (within 1 year) AO SMITH reserves the right to inspect failed product for quality issues. The territory manager will advise if tank is to be returned at time of approval.

#### Warranty Guide Book

#### **Aquavar IPC and CPC**

The IPC and CPC variable speed drives require a form to be obtained and filled out. Forms are available from Warranty Claims directly or a claim can be made under the Aquavar Menu on Ecom. Approval will be given by Warranty Claims and instructions for location of return. IPC drives will be returned directly to the Vendor, contact Warranty Claims for information. IPC drives over 150 HP will need to be serviced in the field, please call Warranty Claims for instructions.

#### **Wastewater Products**

For return of waste water products for analysis (Utilize Goulds authorized SES service centers whenever possible) a return good clearance form is required to insure safety of personnel inspecting product. Instructions should be obtained from Warranty Claims on whether to return product, repair or scrap. Normally products less than 1.5 HP are not required to be returned. Approval should be obtained before disposition of product. See ecom.xyleminc.com/warranty tab for listings under service centers.

#### 20EVP, 2AUW and 2AM32P Model Pump

20EVP, 2AUW and 2AM32P model pumps in need of analysis or repair should be reviewed by a local motor shop. The motor shop report shall be sent to Dawn Lawson (dawn.lawson@xyleminc.com) for credit consideration. These pumps cannot be returned to Goulds Water Technology, Xylem Inc.

#### **Damaged In Transit**

When product is received damaged by a carrier the customer is responsible for signing freight bill that product was received damaged. Due to the terms and conditions, the customer owns the product and is responsible for filing a claim with the carrier and re-ordering any product that has been damaged.

#### **Freight Charges**

For returned product the customer will be responsible for freight charges until it is determined defective product. Freight credit will be issued on credit memo once warranty is established. \* A copy of the freight bill to include charges are required.

#### **Water Systems**

4" submersible motors that are 2 HP or larger

6" & 8" submersible motors and water ends

Aquavar Solo Controllers

#### **Commercial**

Commercial pumps

**Baldor Motors** 

Aquavar/CPC/IPC

AquaBoost/SPD/S-Drive

Hydrovar

#### Wastewater

Wastewater Control Panels


Wastewater Pumps 1½ hp & above

All battery backup pumps and chargers

Premature failures within 30 days of install should be considered ALY product for all pumps sold.

#### **MOTORS**

#### A) Century/A.O. Smith Motors:



<u>19313J2</u> Day of the year Year


193 = July 12th



Day of Month YEAR: Month CA = 2005CB = 2006CC = 2007

\*excluding "I" CJ = 2013

#### B) Nidec Motors (US Motors):



<u>B 1 3 C</u> Month: -

A = JanuaryG = JulyB = FebruaryH = AugustC = March J = SeptemberD = AprilK = OctoberE = MayL = NovemberM = DecemberF = June


#### C) CP 4" Submersible Motors



<u>B 1 4 1 2 Z 4 2 0 1 5 1</u> Day of Month Month:

G = JulyA = JanuaryB = FebruaryH = August J = SeptemberC = MarchD = AprilK = OctoberE = MayL = NovemberM = December F = June

#### D) Baldor Motors:



302010294 Year Month Day

#### E) WEG Motors:



Month (In Portuguese):

JAN - January ABR - April FEV - February MAI - May


Day -

JUL - July AGO- August MAR - March JUN - June SET - September

OUT - October NOV - November DEZ - December

#### F) CP Series 6" Motors:





#### G) CP 6" and Larger Submersible Motors (Hitachi):



Year

Month:

A = JanuaryG = JulyB = February H = AugustJ = September C = March D = AprilK = OctoberE = May L = November F = JuneM = December

#### **TANKS**

#### A) HydroPro/T Series Tanks:



 $\underbrace{G \; H \; 1 \; 3 \; 2 \; 7}_{\text{Year}}$ Month:

A = January G = JulyB = February H = August


C = MarchJ = SeptemberK = OctoberD = April

E = MayL = NovemberM = December F = June



#### **PUMPS**

#### A) Submersible:



#### B) Wastewater:



#### C) Centrifugals:



#### D) Jet:




<u>J 1 3 6 5 0 2 9</u> - Year

#### Month:

A = January G = JulyB = February H = AugustC = March J = SeptemberD = AprilK = OctoberL = November E = May F = June M = December

#### **DRIVES**

A) Aquavar Solo and ABII (3AB2, 5AB2):



EC13002037501

Month:

A = January G = July

B = February H = August

 C = March
 J = September

 D = April
 K = October

 E = May
 L = November


 F = June
 M = December

#### B) Aquavar ABII (1AB2, 2AB2):



10450400 Year Week of Year

#### C) Aquavar SPD:



#### D) Aquavar CPC and SPD Plus:



 $\underbrace{2\,1\,1\,4\,5\,0\,0\,7\,8\,2}_{\text{Year}}$ 

#### E) Hydrovar:



#### F) Aquavar IPC:



#### **TRANSDUCERS**

A) .5-4.5V Signal (Aquavar Solo, ABII) -Part Numbers: 9K518, 9K519, 9K520:



$$\underbrace{0}_{\text{--}} \underbrace{1}_{\text{--}} \underbrace{1}_{\text{--}} \underbrace{1}_{\text{--}} \underbrace{2}_{\text{--}} \dots$$
Month Day Year

B) 4-20mA Signal (SPD, CPC, Hydrovar) – Part Number: 9K515



$$\underbrace{0\ 4}_{\text{--}}\ \underbrace{1\ 6}_{\text{--}}\ \underbrace{1\ 3}_{\text{--}}\dots$$
Month Day Year

#### PRODUCT CLEARANCE FORM CERTIFICATION

(Request for Analysis - Inspection)

Please use RMA number	Date
Distributor Name and Location:	
2. Distributor Contact:	Phone:
Email Address:	Fax:
3. Installation Data:	
Date Installed:	Date Failed:
Pump Nameplate Reading / Part Number:	
Pump Serial Number:	
Motor Nameplate Reading:	
Type of Service: OEM BoosterRO	Boiler Feed Other, describe
Location of Job Site:	
Describe conditions observed indicating failure:	
1. Application Data:	
4. Application Data:         Type of Liquid:	
Type of Liquid:	Viscosity:
Type of Liquid:Pump Suction PSIG:	Viscosity:Specific Gravity:
Type of Liquid:  Pump Suction PSIG:  System Discharge:	Viscosity: Specific Gravity: Temperature: PH of Liquid:
Type of Liquid:  Pump Suction PSIG:  System Discharge:  Suction Lift:	Viscosity:Specific Gravity: Temperature:
Type of Liquid:	Viscosity:Specific Gravity: Temperature: PH of Liquid:
Type of Liquid:	Viscosity:Specific Gravity: Temperature: PH of Liquid:
Type of Liquid:	Viscosity:
Pump Suction PSIG:  System Discharge:  Suction Lift:  GPM:  TDH (ft):  Size (micron):  4. <b>Disposition:</b> Return: Scrap:	Viscosity:

13148. Tag shipment with RMA Number. RMA must be visible on outside of container.

PAGE 10

### Warranty Guide Book

#### **AQUAVAR® FAILURE ANALYSIS FORM**

**NOTE:** Serial number and DETAILED DESCRIPTION OF FAULT must be provided to receive an RMA number. **No exceptions.** 

#### \*\* Information is required for RETURN or WARRANTY CONSIDERATION

Please see attached return procedure document for return process information. Warranty consideration will be only for units found to have a manufacturing defect.

**Aquavar CPC/IPC Part Number:	(10 characters max)
**Serial number:	(10 characters max, always starts with 2)
**Job name/ Dealer:	(50 characters max)
**Original Goulds Pumps PO #:	
Failure message (Fault code) on display?:	Is display dark Y/N?
If display is dark, has a replacement keypad been tried?	Y/N
Which LEDs are on? RED or GREEN?	
Motor Data	
Manufacturer:	
Rated voltage:Rated FLA/SFA:	
HP: Speed:	
**Installation Information:	
Installation Date:Installed	by:
**Environmental conditions:	
Ambient Temperature: Humidity:	Excessive dust or salt air? Y/N
** Input voltage:	
Failure happens frequently?Input Line R	leactor or Load Reactor installed?
**Mechanical check of the system:	
Pump shaft can be easily turned?Any rubbing of	or grinding? Motor rotation checked?
Any outer damage recognizable to the pump or motor?	
Drives not covered under warranty will be sent back expense. Drives covered under warranty will be held	. •
* Distributor Name:	
* Contact Name:	Fax form "Aquavar Analysis" to
* Phone:* Fax:*	

#### **EXTENDED WARRANTY REGISTRATION - 2- OR 3-YEAR WARRANTY**

<b>GWT Distributo</b> (Where Product W	•	Motor Serial Number: Pump Serial Number: Control Serial Number:  Motor Part Number: Pump Part/Model Number: Protection Device Part Number: Return the completed form no later than 2 weeks after date of installation to: dawn.lawson@xyleminc.com, tangy.schoenheit@xyleminc.com or pam.terry@xyleminc.com			
GPDA Dealer C	ityStateZip:				
Bundle Extende that the installat	I understand the Turbine Pump + Motor + Drive ed Warranty Requirements. I acknowledge tion information defined below, although not e of registration, will be required in order to y.				
	er Technology Extended Warranty is rs and is an extension of the Goulds	GPDA BUNDLING OF 6" MOTOR, LIQUID END AND CONTROL EXTENDED WARRANTY REQUIREMENTS			
Technology Exte	gy Limited Warranty. The Goulds Water ended Warranty can be accessed by	<ol> <li>Dealer must be registered in the Goulds Professional Dealers Association (GPDA) Program when eligible products are purchased and throughout the life of the Extended Warranty.</li> </ol>			
	p, motor and control; or pump and rs from the following products:	<ol><li>All Product must be purchased through a Goulds Water Technology Authorized Distributor.</li></ol>			
BUNDLED WAR	RRANTY	<ol><li>All warranty claims must be submitted to, and processed through, an authorized Goulds Water Technology Distributor.</li></ol>			
2-Year Extended	Motors: Centripro 6"  Pump: L & H Series Pumps, Submersible Turbine Pumps compatible with 6" Motor	4. Extended warranty period is measured from manufacture date code on the product unless noted above. Warranty registration form must be completed and submitted no later than two (2) weeks after installation date.			
Warranty 24/30 Months	Controls: Aquavar SPD, Aquavar CPC, Aquavar IPC or AquaStart	5. Extended warranty only covers defects in material and workmanship and does not apply to any product that has been subject to negligence, misapplication, improper installation or maintenance. The motor, pump, and control must be installed according to Gould Water Technology recommendations. Goulds Water Technology reserves the right to void			
- INSTALLATIOI  Location:	N INFORMATION ————————————————————————————————————	warranty if it is determined that well conditions or the application of the product caused the equipment failure. Some examples of motor/pump/ control failures that are not covered under this policy include, but are not limited to: top feeding wells without a motor flow sleeve, water hammer, electrical surges, sand, lightning, improper control settings and upthrust. Refer to the Goulds Water Technology Limited Warranty statement for additional details.  6. Gould Water Technology reserves the right to warrant and replace only the defective part or assembly component. Warranty does not apply to items that may need to be replaced under normal wear: pump shaft seals capacitors, pressure switches, etc.			
Application (Cho	pose One) <b>:</b> MunicipalIndustrial				
Input Filter: Notice: Input and/or o	iness Agricultural utput filters may be required if a VFD is used to control				
Internal Output		7. For 3-year extended, six-inch Centripro motors must be used with Aquavar SPD, Aquavar CPC, Aquavar IPC or AquaStart controls and either the L & H Series Pump, Submersible Turbine Pumps compatible with 6" Motor.			
	ge Line To Ground:	For clean water applications only. Sand Fighter, coalbed methane, and other specialty motors are not covered by this program.			
	L2 to G: L3 to G: hth and Size:	9. Warranty valid in the USA and Canada only.  10. Replacement products provided under the Extended Warranty policy			
-	g (Amps):	shall have a warranty period for balance of the remaining warranty of the original product sold to the registered GPDA Dealer.			
T1/U:	Maximum Load) <b>:</b> T2/V: T3/W:	11. Goulds Water Technology products sold via the internet or any other non- authorized source do not qualify for GPDA Extended Warranty Program terms.			
		External Output Filter Part Number:			
		Incoming Voltage Line To Line:			
•	or output filters may be required if a VFD is	micoming voitage Line to Line:			

Manual for more information.

#### **CENTRIFUGAL EXTENDED WARRANTY REGISTRATION - 3-YEAR WARRANTY**

GPDA Number/GWT Customer Number:					
*GPDA Number/GWT Customer Number is Required.					
Location:					
Installer Name:					
Distributor Name:					
(Where Product Was Purchased)					
Pumped Fluid / Specific Gravity:					
Motor Part Number:					
Pump Part/Model Number	•				
Input Filter:					
Notice: Input and/or output filters may be required if a VFD is used to control the motor. Please refer to the appropriate Control Manual for more information.					
Internal Output Filter:	Yes	No			
External Output Filter:	Yes	No			
Input Voltage:					
Input Phase:					
Installation type (Choose C	One):				
Indoor: Outdoor:					
Project Name (if applicable):					
Install Date:					
Motor Serial Number:					
Pump Serial Number:					
Control Serial Number:					

The Goulds Water Technology Extended Warranty is for three (3) years and is an extension of the Goulds Water Technology Limited Warranty. The Goulds Water Technology Extended Warranty can be accessed by bundling a pump, motor and control:

**Motor:** Factory Supplied Motor

**Pump:** 3656/7, 3642/ICS, SSH, NPE

Controls: Aquavar SPD, Aquavar CPC, Aquavar IPC,

Hydrovar

Return the completed form **no later than** 2 weeks after date of installation to:

dawn.lawson@xyleminc.com, tangy.schoenheit@xyleminc.com or pam.terry@xyleminc.com

### GPDA BUNDLING OF CENTRIFUGAL MOTOR, LIQUID END AND CONTROL EXTENDED WARRANTY REQUIREMENTS

- Dealer must be registered in the Goulds Professional Dealers Association (GPDA) Program when eligible products are purchased and throughout the life of the Extended Warranty.
- All Product must be purchased through a Goulds Water Technology Authorized Distributor.
- 3. All warranty claims must be submitted to, and processed through, an authorized Goulds Water Technology Distributor.
- 4. Extended warranty period is measured from manufacture date code on the product unless noted above. Warranty registration form must be completed and submitted no later than two (2) weeks after installation date.
- 5. Seller shall have no warranty obligations to Buyer with respect to any product or parts of a product that have been: (a) repaired by third parties other than Seller or without Seller's written approval; (b) subject to misuse, misapplication, neglect, alteration, accident, or physical damage; (c) used in a manner contrary to Seller's instructions for installation, operation and maintenance; (d) damaged from ordinary wear and tear, corrosion, or chemical attack; (e) damaged due to abnormal conditions, vibration, failure to properly prime, or operation without flow; (f) damaged due to a defective power supply or improper electrical protection; or (g) damaged resulting from the use of accessory equipment not sold or approved by Seller. In any case of products not manufactured by Seller, there is no warranty from Seller; however, Seller will extend to Buyer any warranty received from Seller's supplier of such products.
- 6. The foregoing warranty is exclusive and in lieu of any and all other express or implied warranties, guarantees, conditions or terms of whatever nature relating to the goods provided hereunder, including without limitation any implied warranties of merchantability and fitness for a particular purpose, which are hereby expressly disclaimed and excluded. Except as otherwise required by law, buyer's exclusive remedy and seller's aggregate liability for breach of any of the foregoing warranties are limited to repairing or replacing the product and shall in all cases be limited to the amount paid by the buyer for the defective product. In no event shall seller be liable for any other form of damages, whether direct, indirect, liquidated, incidental, consequential, punitive, exemplary or special damages, including but not limited to loss of profit, loss of anticipated savings or revenue, loss of income, loss of business, loss of production, loss of opportunity or loss of reputation.
- 7. Warranty valid in the USA and Canada only.
- Replacement products provided under the Extended Warranty policy shall have a warranty period for balance of the remaining warranty of the original product sold to the registered GPDA Dealer.
- Goulds Water Technology products sold via the internet or any other non-authorized source do not qualify for GPDA Extended Warranty Program terms.

#### T

URBINE PUI	MP, MOTOR AND DI	RIVE BUND	LE - EXTENDED WARRANTY REGISTRATION		
- Reauired	Warranty Registra	tion Inforr	nation —		
•	Customer Number:		Motor Serial Number:		
GWT Distributor Name:(Where Product Was Purchased)			Pump Serial Number:		
<b>GWT</b> Dealer Nar	ne:		Motor Part Number: Pump Part/Model Number: Control Part Number:		
<b>GWT Dealer City</b>	State _	Zip:			
	understand the Turbine Pump + I Warranty Requirements. I acki				
that the installation information defined below, although not required at time of registration, will be required in order to receive warranty.			Return the completed form <b>no later than</b> 2 weeks after date of installation to: <b>warrantyregistration@xyleminc.com</b>		
he Goulds Water Technology Extended Warranty is n extension of the Goulds Water Technology Limited			TURBINE PUMP + MOTOR + DRIVE BUNDLE EXTENDED WARRANTY REQUIREMENTS		
	oulds Water Technology accessed for two years v		All Product must be purchased through a Goulds Water Technology     Authorized Distributor.		
nd motor or thr	ee years with pump, mot		<ol><li>All warranty claims must be submitted to, and processed through, an authorized Goulds Water Technology Distributor.</li></ol>		
ontrol from the following products: BUNDLED WARRANTY			<ol> <li>Extended warranty period is measured from manufacture date code on the product unless noted above. Warranty registration form must be completed and submitted no later than two (2) weeks after installation</li> </ol>		
2-Year	Motors: Centripro 6"		date.		
Extended Warranty 24/30 Months Pump: Submersible Turbine Pumps			4. Extended warranty only covers defects in material and workmanship and does not apply to any product that has been subject to negligence, misapplication, improper installation or maintenance. The motor, pump, and control must be installed according to Gould Water Technology		

Motors: Centripro 6"-8" submersible motors, or VHS or VSS inverter duty 3-Year motor up to 450 HP Extended Pump: Submersible Turbine Pumps and Warranty Lineshaft Turbine Pumps up to 450 HP 36/42 Months Controls: Aquavar SPD, Aquavar CPC,

\* For VHS/VSS motors, only GE or Nidec brand shall qualify. Individual motor warranties may differ from GWT standard warranty.

Aquavar IPC or AquaStart up to 450 HP

INSTALLATION INFO	RMATIO	N			
Location:					
Installer Name:					
<b>Application</b> (Choose One	):				
Residential Mu	ınicipal	Industrial			
Commercial Business		Agricultural			
Input Filter:					
Internal Output Filter:	Yes	No			
<b>External Output Filter:</b>	Yes_	No			
Incoming Voltage Line L1 to G: L2 to					
Input Wire Length and	Size:				
Overload Setting (Amps	s) <b>:</b>				
Running Amps (Maximu					
T1/U:T2/V	:	T3/W:			

- recommendations. Goulds Water Technology reserves the right to void warranty if it is determined that well conditions or the application of the product caused the equipment failure. Some examples of motor/pump/ control failures that are not covered under this policy include, but are not limited to: top feeding wells without a motor flow sleeve, water hammer, electrical surges, sand, lightning, improper control settings and upthrust. Refer to the Goulds Water Technology Limited Warranty statement for additional details.
- 5. Gould Water Technology reserves the right to warrant and replace only the defective part or assembly component. Warranty does not apply to items that may need to be replaced under normal wear: pump shaft seals, capacitors, pressure switches, etc.
- 6. Two (2) Year: CentriPro 6" and submersible turbine only. Three (3) Year: Six-inch or 8" Centripro submersible motors, or Nidec or GE (VHS, VSS) inverter duty motors must be used with Aquavar SPD, Aquavar CPC, Aquavar IPC, or Aquastart controls, along with GWT submersible turbine pumps or lineshaft turbine pumps.
- 7. For clean water applications only. Sand Fighter, coalbed methane, and other specialty motors are not covered by this program.
- 8. Warranty valid in the USA and Canada only.
- 9. Replacement products provided under the Extended Warranty policy shall have a warranty period for balance of the remaining warranty of the original product sold to the registered GWT Dealer.
- 10. Goulds Water Technology products sold via the internet or any other nonauthorized source do not qualify for Extended Warranty Program terms.

11. Subject to Gou	lds Water Technology Distributor participation.					
Output Filter						
Notice: Input and/or output filters may be required if a VFD is used to control the motor. Please refer to the appropriate Control Manual for more information.						
External Output Filter Part Number:						
Incoming Voltage Line To Line:						
L1 to L2:	L2 to L3:L1 to L3:					
<b>Output Wire</b>	ength and Size:					

### **A**Smith **CLAIM FORM**

#### **WATER SYSTEM MATERIAL DISPOSITION REPORT**

ALL TANKS LISTED MUST HAVE MODEL & SERIAL NUMBER NAME PLATE ATTACHED.

DISTRIBUTOR	R'S NAME:				_	
ADDRESS:					INVOICE	EBIT IO
CITY:		TATE/ PROV:		/ STAL CODE:		
EACH TANK N FOR FAILURE MATERIAL DIS	MODE AND	A) FOR M	IATERIAL S	SCRAPPED BY SALES RE	OUT; 4. OTHER – PLEASE BE SE EPRESENTATIVE. DTTE, NORTH CAROLINA or STR	
TANK MODEL	FAILED TANK SERIAL NUMBER	DATE INSTALL	DATE FAILED	REPLACEMENT TANK SERIAL NUMBER	DEALER NAME, ADDRESS, CI' STATE/PROV., ZIP/POSTAL CO	
					6	
				AP		
				3 part c	en from	
		5		-art c	061	
			-156	3 ba.	hage,	
	•	NUS	U	itory		
	,		Ter			
		•		SALESMAN S	IGNATURE:	, 
MAIL THIS CO	OPY TO:	dem Inc. C	ANADA	ALL TANKS WHICH FAIL UPO	ON INSTALLATION AND DATE:	

2881 E. Bayard St. Ext., Suite A 55 Royal Road Seneca Falls, NY 13148

Guelph, ON N1H1T1


WITHIN FIRST YEAR OF OPERATION, SHOULD BE RETURNED TO CHARLOTTE, NC (USA) OR STRATFORD, ON (CANADA) FOR WARRANTY INSPECTION.

#### **TUTORIAL FOR CLAIM ENTRY ONLINE**

Enter ecom.xyleminc.com and sign in with Username and password

(if you don't already have a sign on, enter the website and click on the appropriate sign up)

#### Click on the "Warranty Claims" Tab and click on "Enter New Claim"




#### Choose claim type by instruction from this Guide.

Also add PO# and Order number the product was shipped on.

#### Warranty Claims - Enter Claim

All claims will be auto submitted 2 weeks after being opened.




#### **TUTORIAL FOR CLAIM ENTRY ONLINE**

Enter Part number and Submit product. (you can also search for a part number or description)

Warranty Claims - Enter Product INFO for Claim: 233349 Enter Product Number




#### Enter Dealers name if you have one and strike submit, enter NA if you do not have one and hit submit



#### The next screen is the submit button or Add on another part.

You can also change header information or delete the entire claim.




Final submission or cancellation is the last step.

#### **TUTORIAL FOR CLAIM ENTRY ONLINE**



#### Additional screens will be shown for ALY claims that are required.


Clearance screen below, click "I comply" once you have read the cleaning instructions.



#### **Applications Information and diagnostic details**

You may also print a return label from the last screen of the ALY and RMO screen

#### Warranty Claims - Enter ALY (Analysis) INFO for Claim: 233360 Product: IGD51G1AA - 2HP 1/60/230 5.62" 15.5MA



Warranty Guide Book

**NOTES** 

### Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're a global team unified in a common purpose: creating advanced technology solutions to the world's water challenges. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. Our products and services move, treat, analyze, monitor and return water to the environment, in public utility, industrial, residential and commercial building services, and agricultural settings. With its October 2016 acquisition of Sensus, Xylem added smart metering, network technologies and advanced data analytics for water, gas and electric utilities to its portfolio of solutions. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise with a strong focus on developing comprehensive, sustainable solutions.

For more information on how Xylem can help you, go to www.xyleminc.com



Xylem Inc. 2881 East Bayard Street Ext. Suite A, Seneca Falls, NY 13148 Phone: (866) 325-4210 Fax: (888) 322-5877 www.gouldswatertechnology.com